

# ESTIMATE FOR UNDERGROUND RCC RECTANGULAR WATER TANKS Latest Edition

Estimate for Underground RCC Rectangular Water Tanks: A Comprehensive Guide

**Estimate for underground RCC rectangular water tanks** is a crucial aspect for engineers, contractors, and project managers involved in designing, constructing, or budgeting for water storage solutions. These tanks are integral to municipal water supply systems, industrial applications, fire protection systems, and emergency water reserves. Accurate cost estimation ensures that projects are financially feasible, timelines are maintained, and quality standards are met. This article provides a detailed overview of the factors influencing the cost of underground RCC (Reinforced Cement Concrete) rectangular water tanks, along with methodologies for obtaining precise estimates.

## Understanding Underground RCC Rectangular Water Tanks

### What Are RCC Rectangular Water Tanks?

RCC rectangular water tanks are constructed using reinforced concrete to ensure durability, strength, and longevity. Their rectangular shape allows for efficient use of space, especially in constrained sites, making them popular in urban and industrial environments. These tanks are designed to be buried underground, offering benefits such as space optimization, temperature stability, and protection from external elements.

### Advantages of Underground RCC Rectangular Water Tanks

- Space-efficient Design: Fits into limited spaces.
- Temperature Control: Maintains consistent water temperature.
- Protection: Shielded from environmental damage and vandalism.
- Aesthetic Benefits: No visual impact on the landscape.
- Cost-effective: Reduced land costs compared to above-ground tanks.

### Factors Influencing the Cost Estimate

A precise estimate for underground RCC rectangular water tanks depends on multiple factors. Understanding these variables helps in preparing accurate budgets and avoiding unforeseen

expenses.

## 1. Tank Dimensions and Capacity

The size of the tank directly impacts material quantities and construction efforts:

- Length, Width, and Height: Larger dimensions increase concrete volume and reinforcement needs.
- Capacity (e.g., liters or cubic meters): Larger capacity tanks require more extensive work.

## 2. Structural Design Specifications

Design complexity influences costs:

- Wall Thickness: Thicker walls demand more concrete.
- Reinforcement Details: Higher reinforcement ratios increase material costs.
- Design Codes & Standards: Compliance with local standards may affect design features and costs.

## 3. Site Conditions

The nature of the installation site affects construction expenses:

- Soil Type: Soft or rocky soils require specialized excavation and foundation work.
- Water Table Level: High water tables may necessitate dewatering and additional waterproofing.
- Accessibility: Difficult access increases equipment and labor costs.

## 4. Material Costs

Fluctuations in material prices impact overall estimates:

- Concrete: Cost varies based on mix design and quality.
- Reinforcement Steel: Prices depend on market conditions.
- Formwork and Shuttering: Material costs depend on complexity and quantity.

## 5. Construction Methodology

Construction techniques influence timelines and costs:

- Excavation & Foundation Work: Varies with site conditions.
- Formwork & Casting: Complexity affects labor and material costs.
- Curing & Waterproofing: Additional processes for durability.

## 6. Additional Components and Accessories

Additional features add to the total cost:

- Inlets, Outlets, and Valves
- Manholes and Access Ports
- Ladders and Safety Features
- Lighting and Ventilation (if required)

## 7. Project Duration & Labor Costs

Labor rates and project timeline influence costs:

- Labor Wages: Vary regionally.
- Construction Duration: Longer projects tend to increase indirect costs.

## 8. Contingency and Miscellaneous Expenses

Unexpected issues can arise, requiring contingency allocations (typically 5-10% of total estimate).

## Methodologies for Cost Estimation

Accurate estimation involves systematic approaches. Here are common methodologies employed:

### 1. Quantity Takeoff Based Estimation

- Step 1: Define tank dimensions and features.
- Step 2: Calculate quantities of concrete, reinforcement, and other materials.
- Step 3: Apply unit costs to quantities.
- Step 4: Sum up for total cost.

## 2. Parametric Estimation

- Use established cost per unit volume or surface area based on historical data.
- Example: Cost per cubic meter of concrete for underground tanks.

## 3. Detailed / Bottom-Up Estimation

- Break down the project into individual tasks.
- Estimate costs for each task (excavation, formwork, concrete pouring, waterproofing).
- Aggregate estimates for overall costs.

## 4. Software-Based Estimation

- Utilize specialized software tools that incorporate local data, material prices, and labor costs.
- Benefits: Increased accuracy and efficiency.

## Average Cost Range for Underground RCC Rectangular Water Tanks

The cost of underground RCC rectangular water tanks varies widely depending on the factors discussed above. Here is a general cost breakdown:

| Parameter                | Estimated Cost Range (per cubic meter) | Notes                                      |
|--------------------------|----------------------------------------|--------------------------------------------|
| Concrete & Reinforcement | ₹15,000 - ₹25,000                      | Varies with quality and design             |
| Excavation & Foundation  | ₹5,000 - ₹15,000                       | Depends on soil and site accessibility     |
| Waterproofing & Coatings | ₹3,000 - ₹8,000                        | For durability and leak prevention         |
| Additional Components    | ₹2,000 - ₹5,000                        | Inlets, outlets, manholes, safety features |
| Labor & Equipment        | ₹10,000 - ₹20,000                      | Regional wage variations                   |

Total Estimated Cost: Approximately ₹35,000 to ₹70,000 per cubic meter of storage capacity.

Note: These figures are indicative. For precise budgeting, detailed project-specific estimates are

necessary.

## Cost Estimation Example for a 500 Cubic Meter Underground RCC Rectangular Water Tank

Suppose a project requires a 500 m<sup>3</sup> underground RCC rectangular water tank. Using the average cost of ₹50,000 per m<sup>3</sup>:

- Material Cost:  $500 \text{ m}^3 \times ₹50,000 = ₹25,00,000$
- Additional Expenses: Including excavation, waterproofing, accessories, and labor, estimate an extra 30-40%:
  - 30% of ₹25,00,000 = ₹7,50,000
  - Total Estimated Cost:  $₹25,00,000 + ₹7,50,000 = ₹32,50,000$

This comprehensive estimate provides a realistic budget framework for project planning.

## Tips for Accurate Cost Estimation

- Conduct Site Visits: Assess site conditions firsthand.
- Consult Local Suppliers: Obtain current material prices.
- Use Historical Data: Review costs from similar past projects.
- Engage Experienced Engineers: Their insights can refine estimates.
- Include Contingency: Always allocate buffer funds for unforeseen issues.
- Update Estimates Regularly: Adjust for market fluctuations and project changes.

## Conclusion

Estimating the cost of underground RCC rectangular water tanks is a multifaceted process that requires careful consideration of design specifications, site conditions, material costs, and construction methodologies. Accurate estimates enable efficient project management, cost control, and successful project delivery. By systematically analyzing the influencing factors and employing reliable estimation techniques, stakeholders can ensure their water storage solutions are both effective and economical.

Remember, for precise budgeting, always collaborate with qualified engineers and procurement specialists, and consider engaging professional estimation services to tailor costs to your specific project requirements.

Estimate for underground RCC rectangular water tanks is a crucial aspect for civil engineers,

contractors, and project planners involved in designing and constructing water storage solutions. Accurate cost estimation ensures budget adherence, resource allocation, and project feasibility. Underground reinforced cement concrete (RCC) rectangular water tanks are widely used for municipal water supply, industrial applications, and emergency storage due to their durability and structural strength. This article provides a comprehensive overview of estimating costs for such tanks, covering factors influencing the estimate, detailed components involved, methodologies, and practical considerations to achieve accurate and reliable estimates.

## Understanding the Basics of RCC Rectangular Underground Water Tanks

Before delving into estimation specifics, it's essential to understand what RCC rectangular underground water tanks are and their significance.

### What Are RCC Rectangular Underground Water Tanks?

RCC rectangular underground water tanks are durable, reinforced concrete structures designed to store large volumes of water below ground level. Their rectangular shape allows for efficient use of space, ease of construction, and straightforward design integration with existing infrastructure. These tanks are typically constructed with reinforced concrete walls, base slabs, and sometimes roofs, depending on design requirements.

### Applications and Advantages

- Municipal water supply systems
- Industrial water storage
- Fire water reservoirs
- Emergency water storage
- Features:
  - High durability and long service life
  - Customizable dimensions
  - Minimal surface footprint
  - Reduced exposure to environmental factors
  - Can be constructed in various soil and space conditions

### Factors Influencing the Cost Estimate

A precise estimate depends on multiple factors, which can be broadly categorized into design parameters, site conditions, material costs, labor, and regulatory requirements.

## Design Parameters

- Tank Dimensions: Length, width, and height directly impact the volume and quantity of materials.
- Wall Thickness: Thicker walls increase material and labor costs.
- Water Capacity: Larger capacity tanks require more material and longer construction times.
- Additional Features: Presence of precast elements, inlet/outlet arrangements, access platforms, or coating.

## Site Conditions

- Soil Type and Stability: Difficult soil conditions may necessitate special foundations or soil stabilization, increasing costs.
- Groundwater Level: High groundwater levels may require dewatering measures.
- Accessibility: Ease of access for construction equipment influences labor and transportation costs.
- Location: Urban vs. rural sites, proximity to utilities, and transportation infrastructure.

## Material and Equipment Costs

- Cost of reinforcement steel, cement, formwork, and other materials varies regionally.
- Equipment rental or purchase for excavation, concrete pouring, and finishing.

## Labor and Construction Methods

- Skilled vs. unskilled labor rates.
- Construction techniques employed, such as slip-forming or traditional formwork.

## Regulatory and Environmental Factors

- Permit fees, environmental clearances.
- Safety and quality assurance standards.

## Components of Cost Estimation

An accurate estimate involves calculating costs associated with each stage and component of

construction.

## 1. Excavation and Site Preparation

- Scope: Removing soil, leveling, and preparing the foundation.
- Cost Factors:
  - Soil type and volume to excavate.
  - Need for shoring or underpinning.
  - Disposal of excavated material.
- Estimate Calculation:  $\text{Volume (m}^3\text{)} \times \text{unit rate}$ .

## 2. Foundation and Base Slab

- Design: Reinforced concrete footing and base slab.
- Cost Factors:
  - Thickness and reinforcement details.
  - Formwork and curing requirements.
- Estimate Calculation:  $\text{Area} \times \text{thickness} \times \text{unit rate of concrete} + \text{reinforcement cost}$ .

## 3. Walls and Roof Construction

- Design: RCC walls with specified thickness, reinforcement layout.
- Cost Factors:
  - Wall height and length.
  - Reinforcement steel quantity and rate.
  - Formwork for vertical and horizontal surfaces.
- Estimate Calculation:
  - Wall volume =  $(\text{perimeter} \times \text{height} \times \text{thickness})$ .
  - Reinforcement steel weight = based on design specifications.
  - Formwork costs based on surface area.

## 4. Reinforcement Steel

- Steel reinforcement is a significant cost component.
- Calculation:  $\text{Total steel weight} = \text{volume of reinforcement per design} \times \text{steel density}$ .
- Cost Factors:
  - Steel unit rate.



- Detailing and placement labor.

## 5. Formwork and Shuttering

- Scope: Temporary structures for concrete shaping.
- Cost Factors:
  - Surface area to be shuttered.
  - Material type (plywood, steel).
  - Reuse factor for formwork.

## 6. Plastering and Surface Treatment

- Usually minimal for underground tanks but may be required for waterproofing or finishing.

## 7. Waterproofing and Finishing

- Essential for underground tanks to prevent leakage.
- Materials include bituminous coatings, membranes, or chemical sealants.
- Cost varies based on material quality and surface area.

## 8. M&E (Mechanical & Electrical) Installations

- Pumps, inlet/outlet pipes, monitoring systems.
- Usually added to the estimate if required.

## 9. Miscellaneous and Contingencies

- Overheads, permits, safety measures, and unforeseen expenses.

## Methodologies for Cost Estimation

Different approaches can be employed depending on project scope and available data.

### 1. Quantity Takeoff Method

- Precise calculation of quantities for each component.
- Suitable for detailed project planning.
- Requires detailed design drawings.

2. Parametric Estimation

- Uses historical data and standard unit rates.
- Quick and useful during early project phases.
- Less precise but useful for feasibility analysis.

3. Approximate or Rough Estimation

- Based on per-unit volume or area costs.
- Suitable when design details are incomplete.
- Example: Cost per cubic meter of tank capacity.

4. Software-Based Estimation Tools

- Specialized software can automate calculations.
- Incorporates regional material costs and labor rates.

Sample Cost Breakdown for an RCC Rectangular Underground Water Tank

Assuming a 1000m³ capacity tank with dimensions 20m x 10m x 5m height, approximate costs (based on typical rates):

| Component                | Quantity  | Unit Rate   | Total Cost (Approximate) |
|--------------------------|-----------|-------------|--------------------------|
| -----                    | -----     | -----       | -----                    |
| Excavation               | 2000 m³   | \$10/m³     | \$20,000                 |
| Foundation & Base Slab   | 200 m²    | \$120/m²    | \$24,000                 |
| Wall Reinforced Concrete | 200 m²    | \$150/m²    | \$30,000                 |
| Reinforcement Steel      | 25 tonnes | \$800/tonne | \$20,000                 |

| Formwork | 600 m<sup>2</sup> | \$50/m<sup>2</sup> | \$30,000 |

| Waterproofing & Finishing | 200 m<sup>2</sup> | \$30/m<sup>2</sup> | \$6,000 |

| M&E Installations | - | - | \$10,000 |

| Contingency & Overheads | 10% | - | \$15,000 |

Total Estimated Cost: Approximately \$155,000

Note: Actual costs vary regionally, and detailed design may alter these figures.

## Practical Considerations for Accurate Estimation

- Design Review: Ensure detailed drawings and specifications are available.
- Site Inspection: Evaluate soil, groundwater, and access.
- Material Market Survey: Obtain current rates for steel, cement, and formwork materials.
- Labor Cost Analysis: Understand prevailing wages and availability.
- Risk Assessment: Identify potential delays, adverse conditions, or regulatory hurdles.
- Contingency Planning: Always include a contingency percentage (10-15%) to accommodate unforeseen expenses.

## Conclusion

Estimating the cost for underground RCC rectangular water tanks requires a comprehensive understanding of design, site conditions, material prices, and construction methods. Precision in quantity calculation, awareness of regional cost variations, and detailed planning are essential for reliable estimates. While rough estimates provide a starting point, detailed quantity takeoff and analysis lead to more accurate budgeting. By considering all contributing factors and leveraging suitable estimation methodologies, project stakeholders can ensure economic feasibility, timely completion, and high-quality construction of underground water storage solutions.

Final Tips:

- Always update cost data regularly to reflect market changes.
- Engage experienced structural engineers and quantity surveyors.
- Use software tools for complex projects to improve accuracy.
- Document assumptions and methodologies used for transparency and future reference.

A well-prepared estimate not only guides budget management but also helps in project planning, resource allocation, and risk mitigation, ultimately leading to successful project execution.

**Question** What factors influence the cost estimation of underground RCC rectangular water tanks? The cost depends on tank size and capacity, reinforcement and concrete quality, excavation and foundation requirements, labor costs, location, and additional features like waterproofing and access structures. How is the quantity of materials estimated for an underground RCC rectangular water tank? Material estimation involves calculating the volume of concrete and reinforcement needed based on tank dimensions, wall thickness, and slab thickness, along with considering waste and over-excavation allowances. What is the typical cost range for constructing an underground RCC rectangular water tank? The cost varies widely depending on size and specifications but generally ranges from \$200 to \$600 per cubic meter of tank capacity, including materials, labor, and additional expenses. Are there standard guidelines or codes to follow for estimating costs of underground RCC water tanks? Yes, standards like ACI, IS codes, and local building regulations provide guidelines for design and construction, which help in accurate cost estimation and ensuring structural safety. How does project location impact the estimate for underground RCC rectangular water tanks? Location affects costs due to differences in labor rates, material availability, excavation challenges, soil conditions, and transportation expenses, leading to variations in overall project estimates.

**Related keywords:** underground RCC water tank calculation, rectangular water tank capacity, RCC water tank design, underground water tank dimensions, concrete water tank estimate, RCC tank construction cost, underground water storage design, rectangular tank reinforcement, water tank volume calculation, RCC tank engineering specifications

## rcc design of underground septic tank

### rcc design of underground septic tank

Designing an underground septic tank using Reinforced Cement Concrete (RCC) is a critical aspect of sanitation infrastructure, especially in areas lacking centralized sewage systems. An RCC septic tank serves as a primary treatment unit, facilitating the decomposition of organic waste through biological processes while containing the effluent safely underground. Proper design ensures durability, safety, ease of maintenance, and environmental protection. This article delves into the detailed aspects of RCC design for underground septic tanks, covering fundamental principles, structural considerations, materials, and construction practices.

## Fundamental Principles of RCC Septic Tank Design

## Objective of Design

The primary goal of designing an RCC septic tank is to provide a durable, leak-proof, and efficient system that safely contains and treats wastewater from domestic sources. The design must ensure:

- Adequate volume for waste retention
- Structural stability against soil pressure and environmental factors
- Ease of cleaning and maintenance
- Long-term durability with minimal cracking or deterioration

## Design Considerations

Several factors influence the RCC septic tank design:

- Population served: Determines the volume of the tank
- Wastewater generation rate: Varies based on household size and use
- Type of soil: Affects load-bearing capacity and drainage
- Water table level: To prevent buoyancy or seepage issues
- Loading conditions: From soil pressure and internal stresses
- Local codes and standards: For safety and environmental compliance

## Structural Components of RCC Underground Septic Tank

### Tank Dimensions and Capacity

The capacity of the septic tank is typically calculated based on the number of users and wastewater volume. A common formula is:

- Tank capacity (liters) = number of users × per capita wastewater generation (liters/day) × retention period (days)

For residential units, a typical retention period is 24-48 hours, and per capita wastewater generation is about 200 liters/day.

Example: For a household of 5 persons:

- Volume =  $5 \times 200 \times 1 = 1000$  liters (~1 cubic meter)

Designing with adequate safety margins, the tank is often constructed with a capacity of 1.5 to 2 times the estimated volume.

## Shape and Layout

Common shapes for RCC septic tanks include:

- Rectangular
- Circular
- Hexagonal or octagonal (less common)

Rectangular tanks are easier to construct and facilitate easier access for cleaning.

Key design parameters:

- Length (L), Width (W), and Depth (D): Typically,  $L \geq W$  for structural stability.
- Baffle walls: To prevent scum and sludge disruption.
- Inlet and outlet arrangements: Proper positioning to ensure smooth flow and prevent disturbance.

## Walls and Base

- Walls are generally 200-300 mm thick, reinforced with steel bars to withstand soil pressure.
- The base must be adequately thick (minimum 150 mm) and reinforced to bear soil load and prevent settlement.
- Reinforcement details should follow relevant standards (e.g., IS 456:2000).

## Cover Slab and Access Points

- The cover slab should be strong enough to resist soil and traffic loads.
- Access manholes are provided for inspection and cleaning, typically with a diameter of 600-900 mm.
- Manholes are constructed with proper sealing to prevent leakage and odor escape.

## Material Selection and Reinforcement Details

### Materials

- Cement: Ordinary Portland Cement (OPC) conforming to IS standards.
- Fine and coarse aggregates: Well-graded, clean, and free from deleterious materials.
- Steel reinforcement: TMT bars are preferred for flexibility and strength.

## Reinforcement Detailing

- Reinforcement bars are placed in both the vertical and horizontal directions.
- Main reinforcement is provided along the walls and base, with stirrups for shear resistance.
- Spacing of bars is determined based on structural calculations, typically:
  - Main bars: spaced at 150-200 mm centers
  - Stirrups: spaced at 100-150 mm centers

## Design Codes and Standards

Design should adhere to:

- IS 456:2000 (Plain and Reinforced Concrete Code)
- IS 10484:1983 (Precast Reinforced Concrete Pipes)
- Local environmental and safety standards

## Design Calculations and Structural Analysis

### Load Calculations

- Soil pressure: Calculated using Rankine or Coulomb theories.
- Live load: Traffic and maintenance loads on the cover slab.
- Self-weight: Of the RCC structure.

### Stress Analysis

- The tank must withstand vertical and lateral soil pressures.
- Reinforcement is designed to resist bending, shear, and axial stresses.
- Use bending moment and shear force calculations to determine reinforcement areas.

## Waterproofing and Durability

- Adequate waterproofing measures are essential to prevent seepage.
- Surface treatments, membrane coatings, or integral waterproofing admixtures can be used.
- Proper curing and quality control during construction enhance durability.

## Construction Process of RCC Underground Septic Tank

### Excavation and Foundation

- Excavation is carried out as per the designed dimensions.
- The foundation bed is prepared with a compacted gravel or lean concrete base.

### Formwork and Reinforcement

- Formwork is constructed using wooden or steel molds.
- Reinforcement cages are assembled as per design specifications.
- Reinforcement is placed accurately, maintaining cover as per standards.

### Pouring and Curing

- Concrete is poured in layers, ensuring compaction to avoid honeycombing.
- Curing is done for at least 7 days to achieve desired strength.

### Installation of Inlets, Outlets, and Cover Slab

- Inlet and outlet pipes are installed with proper joints.
- The cover slab is cast separately or placed as a precast element.
- Manholes are finished with proper sealing and access arrangements.

## Quality Control and Testing

### Material Testing

- Cement and aggregates should be tested for compliance.
- Steel reinforcement should be inspected for proper grade and dimensions.

### Structural Testing



- Non-destructive testing methods like rebound hammer tests can be employed.
- Leak testing of the tank after construction is essential.

## Inspection and Compliance

- Regular onsite inspections ensure adherence to design and standards.
- Final approval depends on compliance with safety, durability, and environmental norms.

## Maintenance and Longevity

- Periodic inspection of the tank for cracks, leaks, or blockages.
- Cleaning of inlet and outlet pipes to prevent clogging.
- Repair of minor damages promptly to extend service life.

## Environmental and Safety Considerations

- Ensure proper sealing to prevent groundwater contamination.
- Maintain adequate distance from water sources and buildings.
- Follow local regulations for installation and operation.

## Conclusion

Designing an RCC underground septic tank requires a comprehensive understanding of structural principles, environmental factors, and material properties. Proper calculations, adherence to standards, and quality construction practices ensure a durable, safe, and effective sanitation solution. As communities seek sustainable and low-maintenance waste management systems, well-designed RCC septic tanks remain a pivotal component in achieving hygienic living conditions and environmental protection.

### RCC Design of Underground Septic Tank: An Expert Guide

When it comes to sustainable sanitation solutions, Reinforced Cement Concrete (RCC) underground septic tanks stand out as a reliable, durable, and cost-effective choice. Their design intricacies, structural integrity, and long-term performance hinge on meticulous planning and engineering. In this detailed review, we will explore the fundamental aspects of RCC design for underground septic tanks, providing insights into the materials, structural considerations, and best practices that ensure functionality, safety, and longevity.

## Understanding the Role and Importance of RCC in Underground Septic Tanks

Reinforced Cement Concrete (RCC) forms the backbone of modern subterranean sewage treatment systems. Its popularity in septic tank construction is primarily due to its high compressive strength, durability against groundwater and soil pressures, and resistance to corrosion when properly designed and constructed.

An underground septic tank serves as a primary treatment unit for household wastewater, allowing solids to settle and preliminary treatment of effluent before dispersal or further treatment. Ensuring its structural integrity through RCC design is crucial because:

- It withstands external soil and water pressures.
- It resists internal loads from wastewater.
- It prevents groundwater contamination.
- It guarantees long-term service life with minimal maintenance.

## Design Considerations for RCC in Underground Septic Tanks

Designing an RCC septic tank involves multiple considerations that span structural, hydraulic, environmental, and material aspects. An expert approach ensures the tank is resilient, efficient, and compliant with standards.

### 1. Structural Design Principles

The core aim is to ensure the tank can withstand all external and internal loads over its service life.

- Load Analysis: The tank must resist:
  - Soil pressure from surrounding earth.
  - Hydrostatic pressure from groundwater.
  - Live loads like earth movement, traffic, or backfill pressure.
  - Internal loads from wastewater, including maximum expected inflows.
- Thickness Design: The walls, base, and cover should be thick enough to resist stresses without excessive material use. Typically:
  - Wall thickness ranges from 150mm to 300mm, depending on size.
  - Base thickness varies based on soil and groundwater pressure.

- Reinforcement Detailing: Proper reinforcement placement ensures strength:
  - Use of steel bars (tensile reinforcement) in walls and base.
  - Reinforcement spacing adherent to code limits (e.g., spacing not exceeding 150mm center-to-center).
  - Use of mesh or combined reinforcement for uniform stress distribution.
- Joint Design: Ensures water-tightness and structural integrity, especially at:
  - Wall-to-base joints.
  - Wall-to-cover joints.
  - Penetrations (inlet/outlet pipes).

## 2. Material Selection

Choosing the right materials is vital for durability and cost-effectiveness.

- Concrete Mix:
  - Use of M20 to M30 grade concrete (compressive strength of 20-30 MPa).
  - Incorporation of pozzolanic materials (like fly ash) to improve durability.
  - Adequate water-cement ratio (around 0.45 to 0.50) for strength and workability.
- Reinforcement Steel:
  - Use of Fe 415 or Fe 500 grade steel.
  - Corrosion-resistant coatings or epoxy coatings if necessary.
- Waterproofing & Sealants:
  - Application of bituminous membrane or polymer-based waterproofing.
  - Proper sealing of joints and penetrations to prevent leakage.

## 3. Structural Details & Construction Techniques

- Formwork Design:
  - Rigid, well-supported formwork to maintain shape and dimensions.
  - Use of modular formwork for consistent quality.
- Reinforcement Placement:

- Accurate positioning as per drawings.
- Use of spacers, chairs, and ties to maintain cover thickness.
- Casting Procedure:
  - Proper compaction to eliminate voids.
  - Sequential casting to prevent cold joints.
  - Curing for at least 14 days to achieve desired strength.
- Joint & Penetration Details:
  - Use of flexible or rigid seals at joints.
  - Reinforced sleeves for inlet/outlet pipes to ensure watertightness.

## Design Calculations & Standards

Designing an RCC underground septic tank requires adherence to national and international standards, such as IS 456:2000 (Indian Standard for plain and reinforced concrete), and local building codes.

### 1. Load Calculations

- Calculate soil pressure using Rankine or Coulomb theories.
- Determine hydrostatic pressure considering groundwater levels.
- Apply load factors for safety margins.

### 2. Structural Capacity Checks

- Bending moments and shear forces in walls and base.
- Reinforcement detailing based on maximum bending moments.
- Check for crack width limitations to prevent leakages.

### 3. Durability & Service Life

- Ensuring concrete cover of at least 50mm to reinforcement.
- Use of suitable admixtures to resist sulfate attack, if necessary.
- Designing for a minimum lifespan of 50 years with minimal maintenance.

## Advantages of RCC Septic Tanks

- High Durability: Resistant to mechanical stresses and environmental effects.
- Structural Strength: Capable of withstanding soil and groundwater pressures.
- Customizable Design: Can be fabricated in various sizes and shapes.
- Long Service Life: Properly designed RCC tanks can last for decades.
- Waterproofing Potential: When combined with proper sealing and waterproofing measures.

## Common Challenges & Solutions in RCC Design

While RCC design offers many benefits, certain challenges need careful attention:

- Cracking: Due to improper reinforcement detailing or curing.
- Solution: Adequate reinforcement, proper curing, and controlling shrinkage.
- Leakages: Caused by joints or inadequate waterproofing.
- Solution: Use of sealing compounds, joint fillers, and waterproof membranes.
- Corrosion of reinforcement: Especially if concrete quality is poor.
- Solution: Use of corrosion-resistant steel or protective coatings.
- Uneven settlements: Due to soil variability.
- Solution: Proper site investigation and foundation design.

## Best Practices for RCC Septic Tank Construction

- Pre-Construction Planning: Detailed drawings, material procurement, and site preparation.
- Quality Control: Regular inspection of concrete mix, reinforcement placement, and formwork.
- Timely Curing: Ensures strength development and crack prevention.
- Proper Backfilling: Controlled compaction around the tank to prevent settlement.
- Maintenance & Inspection: Periodic checks for cracks, leaks, or blockages.

## Conclusion

The RCC design of underground septic tanks epitomizes a blend of structural engineering

excellence and environmental responsibility. From selecting suitable materials to meticulous reinforcement detailing, every step plays a crucial role in delivering a resilient, durable, and efficient sanitation solution. Proper adherence to design standards, best practices, and innovative waterproofing techniques enhances the lifespan and performance of these underground structures, ensuring public health and environmental safety.

For engineers, contractors, and homeowners alike, understanding the nuances of RCC septic tank design is fundamental to achieving optimal results. As advancements in concrete technology and construction methods continue, the future promises even more durable, sustainable, and cost-effective underground septic solutions built on solid RCC principles.

**Question** What are the key considerations in RCC design for underground septic tanks? Key considerations include load-bearing capacity, soil interaction, waterproofing, durability, crack resistance, and compliance with safety standards to ensure structural integrity and longevity. How is the thickness of RCC walls determined for an underground septic tank? The wall thickness is determined based on load calculations, soil pressure, tank size, and material strength, typically ranging from 150mm to 300mm, as per design codes and safety factors. What reinforcement details are essential in RCC septic tank design? Reinforcement should include sufficient steel bars for tension and compression zones, proper anchorage, and spacing as per BIS codes, ensuring resistance against cracking and structural failure. What are the typical materials used in RCC for underground septic tanks? Common materials include high-quality concrete with appropriate grade (e.g., M25 or higher), steel reinforcement, and waterproofing admixtures to prevent seepage and corrosion. How is waterproofing achieved in RCC underground septic tank design? Waterproofing is achieved through the use of waterproof concrete, membrane linings, sealants, and proper compaction and curing to prevent groundwater infiltration and leakage. What are the common load considerations in RCC design of septic tanks? Loads include earth pressure from surrounding soil, live loads from maintenance activities, groundwater pressure, and potential surcharge loads from surface traffic or structures. How does soil type influence the RCC design of an underground septic tank? Soil type affects lateral earth pressure, drainage, and settlement, requiring adjustments in tank thickness, reinforcement, and foundation design to accommodate specific soil characteristics. What are the safety standards and codes applicable for RCC septic tank design? Design should comply with BIS codes such as IS 456 for concrete, IS 3370 for concrete structures, and local standards governing underground structures and wastewater management. What maintenance considerations are important for RCC underground septic tanks? Maintenance includes regular inspection for cracks or leaks, ensuring proper waterproofing, cleaning, and ensuring that the tank's structural integrity remains intact over its service life.

**Related keywords:** RCC septic tank design, underground septic tank construction, reinforced concrete septic tank, septic tank engineering, septic tank load analysis, septic tank structural design, underground wastewater treatment, septic tank foundation design, RCC tank materials, septic tank sizing

Read the full article online: [Rcc Design Of Underground Septic Tank](#)

## Design of water tank

**Design of water tank** is a critical aspect of water supply systems, ensuring reliable storage, distribution, and safety of water for various applications. Proper tank design not only optimizes space and cost but also guarantees the longevity and efficiency of the storage system. Whether for residential, industrial, or municipal use, understanding the principles and considerations involved in designing a water tank is essential for engineers, architects, and project planners.

## Introduction to Water Tank Design

The design of a water tank involves multiple factors ranging from structural integrity to water quality, safety standards, and environmental considerations. An effectively designed water tank should meet the specific needs of the application, provide sufficient capacity, and adhere to relevant codes and standards.

## Types of Water Tanks

Understanding the various types of water tanks is fundamental to designing an appropriate system. They can be classified based on their material, shape, and placement.

### Based on Material

- Concrete Tanks
- Steel Tanks
- Polymer or Plastic Tanks
- Fiberglass Tanks

### Based on Shape

- Rectangular or Square Tanks
- Circular Tanks
- Elliptical Tanks
- Standpipe Tanks

### Based on Placement

- Elevated Tanks
- Underground Tanks
- Horizontal or Vertical Tanks

## Design Considerations for Water Tanks

Designing a water tank requires careful attention to various parameters to ensure safety, efficiency, and durability.

### 1. Capacity and Sizing

- Determine the required storage volume based on daily consumption, peak demand, and future expansion.
- Use appropriate formulas and standards to calculate capacity. For example:

Capacity = Average Daily Consumption × Number of Days of Storage

### 2. Material Selection

- Choose materials based on durability, cost, ease of maintenance, and water quality requirements.
- Consider corrosion resistance, especially for underground or exposed tanks.

### 3. Structural Design

- Ensure the tank can withstand internal water pressure and external loads such as wind, seismic activity, and soil pressure.
- Design for appropriate wall thickness, foundation, and support structures.

### 4. Water Quality and Hygiene

- Incorporate features to prevent contamination, such as sealed lids, overflow outlets, and proper inlet/outlet positioning.
- Use materials that do not leach harmful substances into water.

### 5. Safety and Accessibility



- Include access points for inspection, cleaning, and maintenance.
- Ensure safety features like ladders, railings, and anti-slip surfaces.

## 6. Environmental and Location Factors

- Assess site conditions, climate, and environmental impact.
- Position tanks to minimize evaporation and contamination risks.

## Structural Design Aspects of Water Tanks

The structural integrity of a water tank is paramount for safety and longevity. Key elements include:

### Foundation Design

- Foundation must support the weight of the tank and water, preventing settlement or tilting.
- Common types include reinforced concrete slabs, piles, or footings.

### Wall and Roof Design

- Walls should be thick enough to withstand internal pressure and external forces.
- Roofs can be domed, flat, or sloped, depending on the tank type and environment.

### Stress Analysis and Load Calculations

- Calculate stresses due to hydrostatic pressure, wind, seismic activity, and thermal expansion.
- Use appropriate safety factors as per standards like IS 3370 or AWWA standards.

### Material Strength and Durability

- Select materials with adequate strength properties.
- Consider corrosion protection, especially for steel and concrete tanks.

## Design of Water Tank Components

A comprehensive design includes the following components:

## Inlet and Outlet Pipes

- Position inlets at the top or side to prevent debris entry.
- Place outlets at the bottom for efficient drainage.

## Overflow Systems

- Prevent overfilling and spillage.
- Design with proper height and overflow pipes with screens or filters.

## Ventilation and Air Valves

- Allow air to escape during filling and prevent vacuum formation.
- Ensure ventilation openings are screened to prevent contamination.

## Cleaning and Maintenance Access

- Include manholes, ladders, and inspection ports.
- Design for ease of cleaning and inspection.

## Design Standards and Codes

Adhering to established standards ensures safety and quality. Some of the prevalent standards include:

- IS 3370 (Indian Standards) for concrete tanks.
- AWWA D100 for steel tanks.
- Local building codes and environmental regulations.

## Environmental and Sustainability Considerations

Modern tank design also emphasizes sustainability:

- Use eco-friendly materials.
- Incorporate features for rainwater harvesting.

- Design for energy efficiency in water pumping and treatment.

## Conclusion

The design of a water tank is a multidisciplinary task that combines structural engineering, material science, hydrology, and environmental considerations. Proper planning and adherence to standards result in efficient, safe, and durable water storage systems. Whether for small-scale residential use or large-scale municipal water supply, understanding the fundamental principles outlined above is essential to achieving optimal tank performance and longevity.

## Final Tips for Effective Water Tank Design

- Conduct thorough site analysis before designing the tank.
- Determine accurate capacity requirements based on current and future needs.
- Choose suitable materials considering environmental factors and lifespan.
- Follow relevant standards and codes throughout the design process.
- Plan for maintenance access and safety features from the outset.
- Incorporate sustainability features to minimize environmental impact.

A well-designed water tank not only ensures a steady water supply but also contributes to the safety, efficiency, and sustainability of the overall water management system.

### Design of Water Tank: Engineering Principles and Practical Considerations

The design of water tank is a fundamental aspect of civil and mechanical engineering, serving as the backbone for water storage and distribution systems in residential, commercial, industrial, and municipal settings. Properly designed water tanks ensure reliable water supply, maintain structural integrity, optimize space utilization, and promote safety and longevity. As urbanization accelerates and water management becomes increasingly critical, understanding the nuances of water tank design has never been more essential. This article explores the key principles, types, materials, and considerations involved in designing efficient, durable, and safe water tanks.

### Understanding the Importance of Water Tank Design

Water tanks are critical infrastructure components that store water for various uses, including domestic consumption, firefighting, irrigation, and industrial processing. An ill-designed tank can lead to water contamination, structural failure, wastage, and operational inefficiencies. Therefore, the design process integrates engineering principles, local environmental conditions, material science, and safety standards to create a robust storage solution.

## Types of Water Tanks and Their Design Considerations

The choice of tank type significantly influences design parameters. Common types include:

- Above-Ground (Overhead) Tanks
- Underground Tanks
- Horizontal and Vertical Tanks
- Pre-Engineered Modular Tanks

Each type has unique design challenges and benefits, which are discussed below.

### Above-Ground Tanks

Advantages: Easy access for maintenance, inspection, and cleaning; cost-effective installation.

Design Considerations:

- Structural Stability: Must withstand water pressure, wind loads, and seismic forces.
- Material Selection: Usually made of concrete, steel, or polyethylene.
- Foundation Design: Requires a stable, level foundation capable of supporting the tank's weight.
- Lid and Ventilation: To prevent contamination and manage vapor pressure.

### Underground Tanks

Advantages: Space-saving, aesthetic appeal, protection from environmental extremes.

Design Considerations:

- Burial Depth: Ensures stability, frost protection, and safety.
- Leak Prevention: Use of impermeable materials and proper joints.
- Access Points: Manholes for inspection and cleaning.
- Hydrostatic Pressure: Design must account for soil pressure and water head.

## Structural Design Principles

- Material Selection

Material choice is vital for durability, cost-efficiency, and compatibility with stored water. Common materials include:

- Reinforced Concrete: Widely used for large, permanent tanks. Offers durability but requires formwork and curing.
- Steel: Suitable for prefabricated tanks, quick installation, and high strength.
- Polyethylene and other Plastics: Lightweight, corrosion-resistant, ideal for smaller or temporary tanks.

- Stress Analysis

Design must consider various stresses:

- Hydrostatic Pressure: Increases with depth; tank walls must withstand this load.
- Wind and Seismic Loads: Especially critical for above-ground tanks in seismic zones.
- Thermal Stresses: Temperature variations can cause expansion or contraction.

- Wall Thickness and Reinforcement

Proper wall thickness ensures structural integrity. Calculations involve:

- Hydrostatic pressure calculations:  $(P = \rho g h)$
- Reinforcement placement: To resist tensile stresses induced by water pressure and external forces.

- Foundation Design

A stable foundation prevents settlement and overturning. Factors include:

- Soil bearing capacity.
- Load distribution.
- Drainage and water table considerations.

Hydraulic Design Aspects

Hydraulic considerations ensure the tank functions efficiently:

- Capacity Determination: Based on peak demand, storage requirements, and safety margins.
- Inlet/Outlet Design: To facilitate smooth water flow, minimize turbulence, and prevent vortex formation.
- Overflow and Drainage Systems: To prevent overfilling and facilitate cleaning.
- Water Level Indicators: For monitoring and operational control.

## Safety and Environmental Standards

Compliance with safety standards is paramount:

- Structural Safety: Adherence to codes like ACI, ASCE, or local building regulations.
- Water Quality: Preventing contamination through proper sealing, ventilation, and material choice.
- Emergency Handling: Design features that prevent tank failure during natural disasters or accidents.
- Environmental Impact: Minimizing leakage, runoff, and ecological disturbance.

## Design Calculations and Modeling

Accurate calculations underpin safe tank design:

- Volume Calculations:  $V = \text{length} \times \text{width} \times \text{height}$  for rectangular tanks or volume formulas for cylindrical tanks.
- Stress and Strain Analysis: Using finite element modeling for complex geometries or load conditions.
- Hydrodynamic Simulation: To optimize inlet/outlet and mixing.

## Innovations in Water Tank Design

Recent advances have enhanced tank performance and sustainability:

- Modular and Prefabricated Tanks: Facilitate quick assembly and scalability.
- Corrosion-Resistant Materials: Use of fiber-reinforced plastics or coated steel.
- Smart Monitoring: Integration of sensors for real-time water level, pressure, and leak detection.
- Energy-efficient Design: Incorporating gravity-fed systems and solar-powered pumps.

## Maintenance and Longevity

A well-designed tank must also be easy to maintain:

- Regular Inspection: Check for cracks, corrosion, and leaks.
- Cleaning Protocols: To prevent biofouling and sediment buildup.
- Protective Coatings: To extend material lifespan.
- Structural Repairs: Prompt action to address any detected issues.

## Case Study: Designing a Municipal Water Storage Tank

Consider a city planning to upgrade its water infrastructure. The key steps would involve:

- Assessing peak water demand and required storage capacity.
- Selecting an appropriate tank type considering space, cost, and environmental factors.
- Conducting soil and seismic analysis for underground foundations.
- Designing the tank shell with adequate reinforcement and safety margins.
- Incorporating features like overflow systems, access points, and instrumentation.
- Ensuring compliance with local safety standards and environmental regulations.
- Planning for maintenance, monitoring, and potential future expansion.

## Conclusion

The design of water tank is a multidisciplinary endeavor that marries engineering principles with practical constraints. From selecting the right materials and structural configuration to ensuring safety, environmental compliance, and ease of maintenance, every aspect plays a role in creating an effective water storage solution. As technology advances and urban demands grow, innovative design practices continue to evolve, emphasizing sustainability, resilience, and efficiency. Properly designed water tanks are not just storage units; they are vital lifelines that sustain communities and industries, underscoring the importance of meticulous engineering and thoughtful planning.

In essence, the successful design of a water tank hinges on a thorough understanding of hydraulic principles, material science, structural mechanics, and environmental factors. It requires a careful balance of safety, functionality, and cost-efficiency to meet current needs and adapt to future challenges.

**QuestionAnswer** What are the key factors to consider when designing a water tank? Key factors include the intended capacity, material selection, structural stability, location, water pressure requirements, ease of maintenance, safety considerations, and compliance with local standards and

codes. Which materials are commonly used for water tank construction? Common materials include reinforced concrete, stainless steel, polyethylene, fiberglass, and prestressed concrete, each chosen based on factors like durability, cost, and application. How do you determine the appropriate size of a water tank? Size determination involves assessing daily water demand, peak usage, future growth, and storage requirements, typically calculated based on per capita consumption and usage patterns. What are the different types of water tanks, and how do they differ in design? Main types include elevated tanks, underground tanks, overhead tanks, and ground-level tanks. Their design varies based on height requirements, space constraints, structural support, and accessibility. What are the structural considerations in designing a water tank? Structural considerations include load-bearing capacity, seismic resistance, wind loads, material strength, foundation stability, and provisions for expansion or contraction. How is the water tank's safety and durability ensured in its design? Safety and durability are ensured through proper material selection, corrosion protection, adequate foundation design, safety features like overflow and access ladders, and adherence to relevant standards. What are common maintenance practices for water tanks? Maintenance practices include regular cleaning, inspection for leaks or corrosion, water quality testing, repairing structural damages, and ensuring proper functioning of inlet, outlet, and overflow systems. How does the choice of location impact water tank design? Location affects design considerations such as foundation requirements, accessibility, risk of flooding, seismic activity, exposure to environmental elements, and proximity to water sources and consumers. What codes and standards should be followed in the design of water tanks? Designs should comply with local building codes, standards like AWWA (American Water Works Association), IS codes in India, and international standards ensuring safety, quality, and environmental considerations.

**Related keywords:** water tank design, water storage tank, tank capacity calculation, material selection, structural analysis, waterproofing, tank insulation, tank foundation, pressure considerations, safety standards

**Read the full article online:** [Design of water tank](#)

## Underground Rectangular Water Tank Design Example

### Underground Rectangular Water Tank Design Example: A Comprehensive Guide

**Underground rectangular water tank design example** serves as a valuable reference for engineers, architects, and construction professionals involved in water storage solutions. Designing an underground water tank requires careful consideration of various structural, safety, and functional aspects to ensure durability, efficiency, and safety. This article provides an in-depth look into a



practical example of designing an underground rectangular water tank, highlighting key principles, calculations, and best practices.

## Understanding the Importance of Underground Rectangular Water Tanks

### Why Choose an Underground Water Tank?

- **Space-saving:** Ideal for locations with limited surface area.
- **Protection:** Offers natural insulation and protection from external elements.
- **Safety:** Reduced risk of contamination and vandalism.
- **Aesthetic benefits:** Keeps the landscape visually unobstructed.

### Applications of Underground Rectangular Water Tanks

- Municipal water supply systems
- Industrial storage facilities
- Fire suppression systems
- Rainwater harvesting and stormwater management

## Key Considerations in Designing an Underground Rectangular Water Tank

### Structural Integrity

- Load-bearing capacity
- Soil pressure considerations
- Wall and floor reinforcement

### Material Selection

- Concrete (reinforced or prestressed)
- Fiberglass-reinforced plastic
- Steel with protective coatings

### Hydraulic Design

- Capacity requirements
- Water flow and inlet/outlet positioning
- Ventilation and access points

## Environmental and Safety Factors

- Waterproofing
- Corrosion resistance
- Leak prevention
- Ventilation and odor control

## Step-by-Step Example of Designing an Underground Rectangular Water Tank

### 1. Define Design Requirements

- Capacity: 500 cubic meters (m<sup>3</sup>)
- Location: Urban area with moderate soil conditions
- Usage: Municipal water storage
- Design Life: 50 years
- Operational Pressure: Based on incoming water pressure and height

### 2. Site and Soil Analysis

- Conduct geotechnical investigations
- Determine soil bearing capacity
- Assess groundwater level
- Identify potential soil settlement issues

### 3. Determine Tank Dimensions

- Capacity calculation:

$V$

$$V = L \times W \times H$$

\]

- For this example, choose dimensions considering space constraints and structural stability:
- Length (L): 10 meters
- Width (W): 5 meters
- Height (H): 10 meters
- Verification of capacity:

\[

$$V = 10\text{,m} \times 5\text{,m} \times 10\text{,m} = 500\text{,m}^3$$

\]

This matches the required capacity.

## 4. Structural Design Considerations

- Wall thickness: Typically 200-300 mm considering soil pressure
- Floor thickness: About 300 mm to support the load
- Reinforcement: Use of steel reinforcement bars (rebar) in walls and floor
- Reinforcement details:
  - Vertical rebars spaced at regular intervals (e.g., every 150 mm)
  - Horizontal rebars layered appropriately
- Concrete grade: M30 or higher for durability

## 5. Reinforcement Detailing

- Design reinforcement based on structural analysis
- Use of standard codes (e.g., IS 456:2000 for India, ACI standards)
- Example:
  - Vertical bars: 16 (16 mm diameter) spaced at 150 mm centers
  - Horizontal ties: 10 (10 mm diameter)

## 6. Waterproofing and Corrosion Protection

- Apply waterproof membrane on the interior surfaces
- Use of corrosion-resistant reinforcement (e.g., epoxy-coated rebar)
- Proper sealing of joints and openings

## 7. Inlet, Outlet, and Ventilation Design

- Inlet pipe: Positioned at the top to allow filling
- Outlet pipe: Located near the bottom for draw-off
- Ventilation: Adequate air vents to prevent vacuum or pressure buildup
- Access hatch: For inspection and maintenance

## 8. Structural Analysis and Load Calculations

- Calculate soil lateral pressure using Terzaghi's or Coulomb's theory
- Include water pressure when tank is full
- Account for surcharge loads (e.g., vehicles, equipment)

## 9. Construction Considerations

- Excavation safety
- Formwork design
- Reinforcement placement
- Concrete pouring and curing processes
- Waterproofing application

## Design Example Summary and Key Takeaways

This example illustrates the essential steps in designing an underground rectangular water tank, emphasizing the importance of capacity planning, structural integrity, material choice, and environmental considerations. Proper planning ensures that the tank functions efficiently over its intended lifespan, with safety and durability at the forefront.

## Additional Tips for Effective Underground Water Tank Design

- **Engage geotechnical experts:** Soil conditions significantly influence design parameters.
- **Follow relevant codes and standards:** Ensures safety, quality, and compliance.
- **Incorporate safety features:** Overflow outlets, alarms, and monitoring systems.

- **Plan for future expansion:** Design with scalability in mind.
- **Regular maintenance:** Schedule inspections for leaks, corrosion, and structural integrity.

## Conclusion

Underground rectangular water tanks are vital infrastructure components for urban and industrial water management. A well-designed tank not only meets capacity and safety requirements but also ensures longevity and minimal maintenance. By following a systematic design approach, considering soil and environmental factors, and adhering to engineering standards, professionals can create efficient, durable, and safe underground water storage solutions. The example provided serves as a practical guide to understanding the complexities and best practices involved in such designs, ultimately contributing to the successful implementation of water storage infrastructure.

### Underground Rectangular Water Tank Design Example: A Comprehensive Guide

Designing an underground rectangular water tank involves a blend of structural engineering principles, material science, geotechnical considerations, and hydraulic calculations. This detailed review aims to provide an in-depth understanding of the process through a practical example, highlighting key aspects, methodologies, and best practices.

## Introduction to Underground Rectangular Water Tanks

Underground water tanks are essential components in municipal water supply systems, firefighting infrastructure, and industrial facilities. Their advantages include space-saving, aesthetic benefits, protection from environmental factors, and reduced evaporation losses. Rectangular tanks are favored for their ease of construction, modularity, and straightforward design.

## Basic Design Considerations

Before proceeding with calculations, it's crucial to understand the fundamental considerations:

- **Capacity Requirements:** Determine the total volume based on demand.
- **Available Space & Site Conditions:** Assess site topography, soil type, and groundwater level.
- **Material Selection:** Concrete (prestressed or reinforced), steel, or composite.
- **Structural Safety & Durability:** Ensure the design complies with relevant codes and standards.
- **Hydrostatic & Hydrostatic Pressure:** Address the forces exerted by stored water.
- **Seismic & Load Considerations:** Account for seismic activity and surface loads.

## Design Example Overview

Let's consider a practical example:

- Purpose: Municipal water supply storage
- Capacity: 500 m<sup>3</sup> (cubic meters)
- Tank Dimensions (initial estimate): Length = 20 m, Width = 10 m, Height = 4 m

The goal is to design a reinforced concrete underground rectangular tank with these specifications, optimizing for safety, durability, and cost-effectiveness.

## Step 1: Determining Tank Dimensions and Volume

The initial dimensions are based on capacity:

$$\text{Volume} = \text{Length} \times \text{Width} \times \text{Height}$$

Given the capacity:

$$500 \text{ m}^3 = 20 \text{ m} \times 10 \text{ m} \times \text{Height}$$

Calculating:

$$\text{Height} = \frac{500}{20 \times 10} = \frac{500}{200} = 2.5 \text{ m}$$

However, for structural and construction considerations, a height of 4 meters is chosen to allow for sufficient headroom, maintenance access, and to optimize tank dimensions.

Final dimensions:

- Length (L): 20 m
- Width (W): 10 m
- Height (H): 4 m

Volume check:

\[

$$V = 20 \times 10 \times 4 = 800 \text{ m}^3$$

\]

Since this exceeds the required 500 m<sup>3</sup>, either the height can be reduced to 2.5 m, or the dimensions can be adjusted. For simplicity, we'll proceed with the initial dimensions, understanding that the tank will have a capacity of approximately 800 m<sup>3</sup>, which can be adjusted as needed.

## Step 2: Structural Design ? Wall and Slab Thickness

The primary structural elements include:

- Walls (perimeter walls)
- Bottom slab

Designing these elements requires calculating the forces and selecting appropriate thicknesses and reinforcement.

### 2.1 Hydrostatic Pressure Calculation

The water exerts hydrostatic pressure on the tank walls and bottom:

\[

$$P = \rho g h$$

\]

Where:

- $\rho$  = density of water (~1000 kg/m<sup>3</sup>)

- $(g)$  = acceleration due to gravity ( $\sim 9.81 \text{ m/s}^2$ )
- $(h)$  = height of water column

Maximum pressure at the bottom:

[

$$P_{\text{max}} = 1000 \times 9.81 \times 4 = 39,240 \text{ Pa} \approx 39.24 \text{ kPa}$$

]

## 2.2 Wall Thickness Calculation

Using standard practices, the thickness of the walls ( $t$ ) can be estimated based on the maximum pressure and reinforcement requirements.

For reinforced concrete tanks, a typical wall thickness:

- Minimum: 0.3 m for walls with height 4 m
- Reinforcement: Design reinforcement to resist tensile stresses due to hydrostatic pressure

Design example:

- Wall thickness  $(t_w = 0.4 \text{ m})$

## 2.3 Bottom Slab Thickness

Similarly, the bottom slab must resist the total hydrostatic load:

[

$$\text{Total load} = \text{Area} \times P_{\text{avg}}$$

]

Average pressure:

[



$$P_{\text{avg}} = \frac{0 + P_{\text{max}}}{2} = 19.62 \text{ kPa}$$

\\

Total load per unit length:

\\

$$q = P_{\text{avg}} \times \text{height} = 19.62 \times 4 = 78.48 \text{ kPa}$$

\\

Design slab thickness:

- Typical: 0.5 to 0.6 m

Here, ( $t_s = 0.6 \text{ m}$ ) is selected for safety.

### Step 3: Reinforcement Detailing

Design reinforcement involves:

- Calculating the required reinforcement area based on bending and shear.
- Using codes like ACI 318 or Eurocode for detailed calculations.

#### 3.1 Reinforcement for Walls

- Vertical reinforcement: designed to resist bending due to hydrostatic pressure.
- Stirrups: shear reinforcement.

#### 3.2 Reinforcement for Bottom Slab

- Main reinforcement: oriented to resist bending moments due to water pressure.
- Distribution reinforcement: to prevent cracking.

#### 3.3 Reinforcement Ratios

Typical reinforcement ratios:

- Tension steel: 0.8% to 1.2% of cross-sectional area.
- Shear reinforcement: designed per code requirements.

## Step 4: Foundation Design

The foundation must withstand:

- Dead loads of the tank structure
- Live loads (water weight, soil pressure)
- Soil bearing capacity

### 4.1 Soil Investigation

- Determine soil bearing capacity (e.g., 150 kPa)
- Groundwater level assessment

### 4.2 Foundation Type Selection

- Raft Foundation: suitable for uniform loads, spreads the load evenly.
- Design parameters:
  - Foundation thickness: 0.8 m
  - Reinforcement: based on bending and shear calculations

### 4.3 Settlement & Stability Analysis

Ensure settlement is within permissible limits and that the design satisfies stability criteria against sliding and overturning.

## Step 5: Geotechnical and Waterproofing Considerations

Underground tanks are vulnerable to water ingress and soil interaction:

- Waterproofing: Use of membrane liners, waterproof concrete admixtures, or coatings.
- Backfill Material: Well-compacted granular soil to prevent settlement.
- Drainage: Incorporate drainage systems around foundation to relieve hydrostatic pressure.

## Step 6: Construction Methodology

A typical construction sequence includes:

- Excavation: Dig the site to the required depth, considering foundation thickness and waterproofing layers.
- Foundation Preparation: Leveling, reinforcement placement, and formwork.
- Foundation Pouring: Concrete placement with proper curing.
- Wall and Slab Construction: Erect formwork, place reinforcement, and pour concrete in stages.
- Waterproofing & Backfilling: Apply waterproofing membranes before backfilling.
- Surface Restoration: Reinstatement of surface and access pathways.

## Step 7: Structural Analysis and Validation

Using software tools like STAAD.Pro or ETABS, verify the structural adequacy:

- Stress analysis: Confirm stresses are within permissible limits.
- Deflection checks: Ensure deformations are within acceptable ranges.
- Reinforcement detailing: Finalize reinforcement placement.

## Design Code Compliance and Safety

Design must adhere to local standards such as:

- ACI 318 (American Concrete Institute)
- Eurocode 2
- IS 3370 (Indian Standard for Concrete Structures for the Storage of Liquids)

Safety factors, load factors, and durability aspects are incorporated to ensure long-term performance.

## Additional Considerations

- Ventilation & Access: Include manholes and ventilation openings.
- Ladders & Handrails: For maintenance access.
- Corrosion Protection: Use of corrosion-resistant reinforcement or protective coatings.
- Monitoring & Maintenance: Install sensors for water level, structural health, and leakage detection.

## Conclusion

Designing an underground rectangular water tank is a multifaceted process that necessitates meticulous calculations, adherence to standards, and practical considerations for construction and operation. From initial capacity determination to detailed reinforcement design and foundation planning, each step plays a critical role in ensuring the tank's safety, durability, and functionality.

This example underscores the importance of integrating structural analysis, geotechnical assessment, material selection, and environmental considerations into a cohesive design approach. Proper planning, rigorous analysis, and adherence to best practices result in a reliable infrastructure component vital for water management systems.

**Question** What are the key considerations in designing an underground rectangular water tank? **Answer** Key considerations include structural stability, soil conditions, water pressure, material selection, waterproofing, excavation requirements, and safety factors to ensure durability and safety of the tank. How do you calculate the capacity of an underground rectangular water tank? Capacity is calculated by multiplying the interior length, width, and height of the tank ( $\text{Volume} = \text{Length} \times \text{Width} \times \text{Height}$ ). Convert the volume into appropriate units (e.g., liters or gallons) depending on the measurement system used. What materials are commonly used for constructing underground rectangular water tanks? Common materials include reinforced concrete, prestressed concrete, fiberglass, and sometimes steel or polyethylene linings, chosen based on durability, waterproofing, and environmental conditions. How is waterproofing achieved in underground rectangular water tank design? Waterproofing is achieved through the use of waterproof concrete mixes, membrane linings, sealants, and proper joint detailing to prevent water seepage and protect the surrounding soil. What are the structural load considerations for an underground rectangular water tank? The design must account for soil pressure, water pressure, live loads from surface loads, and any potential surcharge loads, ensuring the structure can withstand these forces without failure. How do you determine the thickness of the walls and base of an underground rectangular water tank? Thickness is determined based on structural calculations considering load conditions, material strengths, safety factors, and building codes, often involving finite element analysis for complex designs. What is the typical construction sequence for an underground rectangular water tank? The sequence includes site excavation, foundation preparation, formwork assembly, reinforcement placement, concrete pouring for walls and base, curing, waterproofing application, and backfilling around the tank. How do you ensure safety and durability in underground water tank design? Safety and durability are ensured through proper material selection, structural design adherence to codes, waterproofing, adequate

ventilation, access provisions, and regular maintenance checks. Are there specific codes or standards to follow for underground rectangular water tank design? Yes, design must comply with relevant local building codes, standards such as ACI (American Concrete Institute), ASCE, and other regional regulations governing underground water structures and safety requirements.

**Related keywords:** underground water tank, rectangular water tank, water tank design, underground tank construction, tank capacity calculation, reinforced concrete tank, structural design, water storage system, tank reinforcement details, civil engineering example

**Read the full article online:** [underground rectangular water tank design example](#)

## Rectangular Underground Water Tank Design

**Rectangular underground water tank design** is a crucial aspect of civil engineering projects, especially for municipal water supply systems, industrial applications, and residential complexes. Proper design ensures the tank's structural integrity, durability, safety, and efficient utilization of underground space. This comprehensive guide explores the essential considerations, design principles, materials, and construction techniques involved in creating a reliable rectangular underground water tank.

### Understanding the Importance of Rectangular Underground Water Tank Design

Properly designed underground water tanks are vital for multiple reasons:

- **Space Optimization:** Rectangular shapes efficiently utilize available underground space, especially in constrained urban environments.
- **Structural Stability:** Proper design prevents collapse or leakage, ensuring long-term service.
- **Cost-Effectiveness:** Optimized designs reduce construction and maintenance costs.
- **Water Quality and Safety:** Well-designed tanks prevent contamination and facilitate maintenance.

### Key Factors Influencing Rectangular Underground Water Tank Design

Designing an effective rectangular underground water tank requires consideration of several critical factors:

## 1. Capacity and Volume Requirements

- Determine the total storage capacity based on demand.
- Consider future expansion needs.
- Calculate volume with appropriate safety margins.

## 2. Site Conditions

- Soil type and bearing capacity.
- Water table level.
- Groundwater flow and potential for seepage.
- Surrounding infrastructure and accessibility.

## 3. Material Selection

- Concrete (reinforced or prestressed).
- Steel (for reinforcement).
- Waterproofing materials.
- Corrosion-resistant coatings.

## 4. Structural Design Considerations

- Wall and base thickness.
- Reinforcement detailing.
- Load analysis, including earth pressure and hydrostatic pressure.
- Anchorage and foundation design.

## 5. Environmental and Safety Regulations

- Compliance with local codes.
- Environmental impact assessments.
- Safety standards during construction and operation.

## Design Principles of Rectangular Underground Water Tanks

Creating an efficient and durable rectangular underground tank involves adherence to core design

principles:

### **1. Structural Stability**

- Ensure walls and base can withstand internal water pressure and external earth pressure.
- Use appropriate reinforcement detailing.

### **2. Leak Prevention and Waterproofing**

- Apply waterproof membranes or coatings.
- Use joints and seals effectively.

### **3. Ease of Construction and Maintenance**

- Incorporate access points like manholes and inspection chambers.
- Design for ease of cleaning and repairs.

### **4. Safety and Durability**

- Design for seismic activity if applicable.
- Use corrosion-resistant materials.
- Include safety features such as overflow outlets.

## **Structural Design Components**

A well-designed rectangular underground water tank comprises various structural elements:

### **1. Walls**

- Typically reinforced concrete.
- Thickness varies based on height and load.
- Reinforcement details to resist lateral forces.

### **2. Base (Floor)**

- Usually a thick reinforced concrete slab.
- Designed to distribute load evenly.
- Incorporates drainage and leak-proofing layers.

### 3. Roof

- Often flat or slightly sloped.
- May include access hatch or ventilation.

### 4. Inlet and Outlet Openings

- Strategically placed for efficient water inflow and outflow.
- Equipped with valves and screens.

### 5. Access and Maintenance Features

- Manholes for inspection.
- Drainage pipes for cleaning.
- Ventilation systems.

## Materials Used in Rectangular Underground Water Tank Construction

Selecting the appropriate materials is vital for durability and safety:

### 1. Reinforced Concrete

- Main structural material.
- Combines concrete's compressive strength with steel reinforcement's tensile strength.

### 2. Waterproofing Materials

- Bituminous membranes.
- Polyurethane coatings.
- Bentonite clay liners.

### 3. Corrosion-Resistant Reinforcements



- Use of epoxy-coated steel.
- Stainless steel reinforcements in aggressive environments.

## 4. Sealants and Joints

- Rubber gaskets.
- Silicone-based sealants.

## Design Calculations and Structural Analysis

Accurate calculations ensure safety and functionality:

- Hydrostatic Pressure Calculation:  $(P = \rho g h)$ , where  $(\rho)$  is water density,  $(g)$  gravity, and  $(h)$  water height.
- Wall Thickness: Derived based on pressure, soil load, and safety factors.
- Reinforcement Detailing: Calculated as per standards like ACI or Eurocode.
- Foundation Design: Analyzes soil bearing capacity and settlement.

## Construction Techniques for Rectangular Underground Water Tanks

Effective construction methods include:

- Excavation: Proper shoring and dewatering.
- Formwork Installation: Reinforcement placement followed by formwork setup.
- Concrete Pouring: Ensuring proper curing and compaction.
- Waterproofing Application: Applying membranes and sealants before backfilling.
- Backfilling: Using suitable materials to prevent settling and maintain stability.

## Maintenance and Safety Considerations

Long-term performance depends on regular maintenance:

- Inspection: Routine checks for cracks, leaks, and corrosion.
- Cleaning: Removing sediments and debris.
- Reinforcement of Waterproofing: Reapplication when necessary.
- Monitoring Structural Integrity: Using sensors or visual inspections.

Safety measures include:

- Adequate ventilation.
- Proper signage.
- Emergency access points.

## Regulations and Standards for Rectangular Underground Water Tanks

Compliance ensures safety and quality:

- Adhere to local building codes.
- Follow standards such as ACI 350, Eurocode 7, or IS codes.
- Obtain necessary permits before construction.
- Conduct environmental impact assessments if required.

## Conclusion

Designing a rectangular underground water tank is a complex process that demands meticulous planning, precise calculations, and adherence to safety standards. The choice of materials, structural details, and construction techniques significantly influence the tank's lifespan and performance. Properly designed tanks contribute to efficient water storage, environmental safety, and ease of maintenance, making them indispensable in modern infrastructure development. Whether for municipal water supply, industrial use, or residential needs, understanding the principles of rectangular underground water tank design is essential for engineers and stakeholders committed to sustainable and safe water management solutions.

Rectangular Underground Water Tank Design: A Comprehensive Guide to Engineering and Construction

Introduction

**Rectangular underground water tank design** plays a pivotal role in urban water management, industrial applications, and emergency storage solutions. As cities expand and water demand increases, efficient underground storage systems become essential for ensuring adequate supply, maintaining pressure in distribution networks, and safeguarding water quality. A rectangular configuration, favored for its simplicity and ease of construction, offers a practical solution for various infrastructural needs. This article explores the fundamental principles, design considerations, structural components, and best practices involved in creating safe, durable, and cost-effective

rectangular underground water tanks.

## Understanding the Need for Rectangular Underground Water Tanks

Before delving into the technical aspects, it's crucial to understand why rectangular underground tanks are often chosen over other shapes such as circular or elliptical designs.

### Advantages of Rectangular Design

- **Ease of Construction:** Rectangular tanks are simpler to construct using standard formwork and reinforcement techniques, reducing construction time and costs.
- **Space Optimization:** They fit conveniently into irregular plots and can be integrated seamlessly with existing infrastructure.
- **Modularity and Expansion:** Rectangular tanks can be subdivided into compartments or expanded by adding additional units.
- **Structural Simplicity:** The straightforward geometry simplifies calculations and reinforcement detailing.

### Typical Applications

- Municipal water storage
- Industrial process water reservoirs
- Fire safety water reserves
- Emergency storage tanks in urban areas

## Fundamental Principles of Rectangular Underground Tank Design

Designing an underground water tank involves a confluence of hydraulic, structural, geotechnical, and material considerations.

### Key Design Objectives

- **Structural Integrity:** Withstanding soil pressure, water pressure, and external loads.
- **Durability:** Resistance to corrosion, leakage, and long-term wear.
- **Hydraulic Efficiency:** Ensuring uniform water flow and minimizing head losses.
- **Cost-Effectiveness:** Optimizing material use and construction processes.

### Design Steps Overview

- Site Analysis and Geotechnical Investigation
- Hydraulic Design
- Structural Design
- Material Selection
- Construction Planning
- Safety and Maintenance Provisions

## Site Analysis and Geotechnical Considerations

The foundation and overall stability of an underground tank depend heavily on site conditions.

### Soil Properties

- Bearing Capacity: Determines the maximum load the soil can support.
- Permeability: Influences waterproofing requirements.
- Settlement Characteristics: Ensures minimal differential settlement that could crack the tank.

### Site Topography

- Slope stability and water table levels influence excavation methods and waterproofing strategies.

### Environmental Factors

- Potential for groundwater inflow
- Seismic activity
- Nearby structures or underground utilities

Proper geotechnical investigation informs decisions on foundation design, waterproofing, and reinforcement needs.

## Hydraulic Design Considerations

Ensuring the tank functions efficiently involves detailed hydraulic planning.

## Capacity and Dimensions

- Calculated based on the intended storage volume, space constraints, and future expansion plans.
- Typical depth-to-width ratios range from 1:1 to 1:2, balancing excavation costs and structural stability.

### Inlet and Outlet Design

- Strategically positioned inlet pipes to promote uniform filling.
- Outlet arrangements to facilitate effective water withdrawal without causing turbulence or sediment disturbance.

### Flow Dynamics

- Use of baffles or diffusers to control flow patterns.
- Incorporation of overflow outlets to prevent overfilling.

### Water Quality Maintenance

- Adequate ventilation and access points.
- Consideration for cleaning and inspection access.

### Structural Design of Rectangular Underground Tanks

The core of the tank's durability lies in its structural design, which must resist internal water pressure and external soil loads while maintaining integrity over time.

### Structural Components

- Walls and Base: Main load-bearing elements subject to hydrostatic and earth pressures.
- Reinforcement: Steel reinforcement tailored to withstand bending, shear, and axial loads.
- Waterproofing: Essential to prevent leakage and protect surrounding soil.

### Design Principles

- Wall Thickness: Typically ranges from 150 mm to 300 mm, depending on size, depth, and soil pressure.

- Reinforcement Detailing: Use of tension and compression reinforcements, with adequate lap splices and cover to prevent corrosion.
- Base Slab Design: Must support the weight of the water and the walls, with reinforcement designed for bending moments.

### Calculations and Codes

Design follows standards such as the American Concrete Institute (ACI) 350, Eurocode 2, or local building codes, emphasizing safety margins and material strengths.

### External Soil Pressure

- Calculated using earth pressure theories (e.g., Rankine or Coulomb).
- Consideration of surcharge loads from surface traffic or nearby structures.

### Hydrostatic Pressure

- Increases with depth; must be accounted for in reinforcement design.

### Waterproofing and Corrosion Protection

Underground tanks are exposed to moisture, demanding robust waterproofing strategies.

### Waterproofing Methods

- Membrane Systems: Applying waterproof membrane layers on walls and base.
- Integral Waterstop Joints: Preventing water ingress at joints.
- Chemical Waterproofing: Use of sealants or crystalline admixtures within concrete.

### Corrosion Protection

- Use of corrosion-resistant reinforcement (e.g., epoxy-coated or galvanized steel).
- Proper concrete cover thickness to protect reinforcement.
- Incorporation of cathodic protection if necessary.

### Construction Techniques and Best Practices

Effective construction hinges on meticulous planning and execution.

### Excavation and Foundation

- Proper shoring and dewatering during excavation.
- Compaction of soil beneath the foundation to prevent settlement.

### Formwork and Reinforcement Placement

- Precise formwork to ensure dimensional accuracy.
- Correct placement of reinforcement as per design drawings.

### Concrete Placement

- Use of tremie or bucket methods to prevent segregation.
- Curing practices to achieve desired strength and durability.

### Waterproofing Application

- Installing membranes and sealants after concrete curing.
- Conducting water-tightness tests before backfilling.

### Post-Construction Considerations

After construction, ongoing maintenance ensures longevity.

### Inspection and Testing

- Hydrostatic pressure tests to verify leak-proofing.
- Regular inspections for cracks or corrosion.

### Operational Management

- Routine cleaning and sediment removal.
- Monitoring water quality and structural integrity.

## Safety Measures

- Access points for inspection and maintenance.
- Ventilation systems to prevent buildup of gases.

## Challenges and Innovations in Rectangular Underground Tank Design

While traditional design approaches are well established, emerging challenges and technological advancements continue to shape the field.

### Challenges

- Limited space in dense urban environments.
- Soil conditions that complicate excavation.
- Ensuring environmental safety and groundwater protection.

### Innovations

- Use of pre-fabricated modular panels for faster assembly.
- Advanced waterproofing materials with longer lifespans.
- Integration of sensors for real-time structural health monitoring.
- Sustainable design practices using eco-friendly materials and energy-efficient construction methods.

## Conclusion

*Rectangular underground water tank design* combines engineering principles, material science, and construction expertise to create resilient storage solutions. Its practicality, adaptability, and cost-effectiveness have made it a preferred choice in many infrastructural projects. By understanding the core components—from site assessment and hydraulic considerations to structural reinforcement and waterproofing—engineers and builders can develop tanks that serve communities reliably for decades. As urban landscapes evolve and environmental concerns grow, innovative approaches and rigorous standards will ensure that these underground reservoirs continue to meet the demands of safe, sustainable water storage.

**Final Thought:** As with any engineering project, success in designing and constructing a rectangular underground water tank hinges on meticulous planning, adherence to standards, and ongoing maintenance. Embracing technological advancements and sustainable practices will further



enhance the performance and longevity of these vital infrastructure elements.

**Question** What are the key factors to consider when designing a rectangular underground water tank? Key factors include the tank's capacity requirements, soil conditions, load bearing capacity, waterproofing, material selection, structural stability, inlet/outlet placement, and safety considerations. **Answer** How do I determine the appropriate size for a rectangular underground water tank? Size is determined based on the required storage capacity, usage demand, available space, and future expansion plans. Calculations involve assessing daily water consumption and designing for peak demands. What materials are commonly used for constructing rectangular underground water tanks? Common materials include reinforced concrete, prestressed concrete, fiber-reinforced plastic (FRP), and steel. Reinforced concrete is widely used for durability and strength. How is structural stability ensured for a rectangular underground water tank? Structural stability is ensured through proper reinforcement, adequate wall and base thickness, considering soil pressure, and incorporating appropriate waterproofing and drainage systems. What are the waterproofing methods suitable for underground rectangular water tanks? Waterproofing methods include applying waterproof membranes, cementitious coatings, using waterstops at joints, and installing drainage layers to prevent water ingress and leakage. How do soil conditions affect the design of an underground rectangular water tank? Soil conditions influence foundation design, wall thickness, and waterproofing requirements. Soft or expansive soils may require reinforced walls or special foundation techniques to prevent settlement or movement. What are the common load considerations in designing a rectangular underground water tank? Load considerations include soil pressure, water head pressure, live loads from surface traffic or structures, and potential seismic forces, all of which influence wall and base reinforcement. How can I ensure proper inlet and outlet placement in a rectangular underground water tank? Inlet and outlet pipes should be positioned to promote uniform flow, prevent sediment accumulation, and facilitate maintenance. Design should include adequate access points and venting as needed. What maintenance practices are recommended for rectangular underground water tanks? Regular inspection for leaks, cleaning of inlet/outlet screens, checking waterproofing integrity, ensuring proper drainage, and monitoring structural elements are essential for longevity. Are there specific codes or standards to follow for designing underground water tanks? Yes, design should comply with local building codes, standards such as ASTM, ACI, IS codes, and safety regulations to ensure structural integrity, safety, and environmental compliance.

**Related keywords:** rectangular water tank design, underground water tank, underground tank dimensions, water tank structural design, concrete water tank, underground tank foundation, water tank capacity calculation, waterproofing for underground tanks, reinforcement design, underground tank construction

**Read the full article online:** [Rectangular Underground Water Tank Design](#)